

## KEY TO FEATURE ICONS



Supercharged Engine



Monocoque Frame



IMU-Enhanced Chassis Orientation Awareness



Economical Riding Indicator



Sport-Kawasaki-TRaction-Control



Kawasaki Intelligent Anti-lock Brake System



Kawasaki Launch Control Mode



A1 Licence Compliant



Launch Control Mode



A2 Licence Compliant



KQS (Kawasaki Quick Shifter)



Assist & Slipper Clutch



Kawasaki TRaction Control



Anti-lock Brake System



Power Modes



Ergo Fit



Kawasaki Engine Brake Control



Kawasaki Cornering Management Function



Electronic Throttle Valves



Electronic Cruise Control



Dual Injectors



Kawasaki Electronic Control Suspension



Dual Throttle Valves



Smartphone Connectivity



Horizontal Back-link Rear Suspension



Cornering Lights



Silver Mirror Paint



Sound Tuning



Adaptive Cruise Control



Blind Spot Detection



Emergency Stop Signal



Forward Collision Warning



Kawasaki SPIN



TPMS



Vehicle Hold Assist



Smartphone Connectivity



KIPASS



Auto Hi Beam

Your official Kawasaki dealer:

Always ride responsibly. Respect the law and the environment. Always ride within the limits of your skills, your experience, and your machine. Wear an approved helmet and protective clothing. Adhere to the instructions and maintenance schedule in your owner's manual. Never drink and ride. Specifications have been achieved by production models under standard operating conditions. Data are intended to describe motorcycles and their performance capabilities fairly but may not apply to every machine. Specifications likely to change without notice. Specifications, products and illustrated equipment may vary by market. The actions depicted here took place under controlled conditions with professional riders. Never attempt any action which is potentially dangerous.

**Valuable K-Care customer programmes are available exclusively for products officially imported by Kawasaki Motors Europe N.V. and sold through its official network.**



The Kawasaki Genuine Products logo is a mark of quality. It can only be found on products manufactured to our exacting standards either by or on behalf of Kawasaki Motors Europe N.V.

**Copyright © 2023 Kawasaki Motors Europe N.V.**

All rights reserved. Subject to the exceptions provided for by law, no part of this publication may be reproduced and/or published in print, by photocopying, on microfilm, electronically or in any other way without the prior written consent of the copyright holder.

**Kawasaki Motors U.K.**

1 Dukes Meadow, Millboard Road,  
Bourne End, Bucks, SL8 5XF  
Telephone: 01628 856750  
Email: [customerservice@kawasaki.co.uk](mailto:customerservice@kawasaki.co.uk)

E999413154

**For more information,  
please visit  
[www.kawasaki.co.uk](http://www.kawasaki.co.uk)**






# ***FULL LINE 2023***



**Kawasaki**  
Let the good times roll









KAWASAKI MOTORCYCLES  
ARE A DISTILLATION  
OF THE MOST ADVANCED  
TECHNOLOGY THE WORLD  
HAS TO OFFER: REPRESENTING  
A UNIQUE ENGINEERING  
HERITAGE AND A WEALTH  
OF TECHNOLOGICAL  
EXPERTISE COMBINED  
WITH PASSION, PERFORMANCE  
AND INDIVIDUALITY.



**Kawasaki**  
Let the good times roll





## NINJA H2R



*Mirror Coated Matte Spark Black*





# BUILT BEYOND BELIEF

Pushing engineering and performance boundaries are reasons few motorcycles truly deserve to be called Instant Icons. Created without compromise the Ninja H2R demands respect and attracts the most skilled and committed riders.

## KEY FEATURES

- IN-HOUSE-DESIGNED SUPERCHARGER
- POWER UNIT DESIGNED TO WITHSTAND 310 PS OUTPUT
- KQS (KAWASAKI QUICK SHIFTER)
- ÖHLINS TTX36 REAR SUSPENSION
- BREMBO BRAKES



## TECH SPECIFICATIONS

### ENGINE

**Engine type** Liquid-cooled, 4-stroke In-Line Four with Supercharger

**Valve System** DOHC, 16 valves

**Displacement** 998 cm<sup>3</sup>

### FRAME AND DIMENSIONS

**Frame Type** Trellis, high-tensile steel with Swingarm Mounting Plate

**Front Tyre** 120/600 R17

**Rear Tyre** 190/650 R17

**Fuel Capacity** 17 litres

**Seat Height** 830 mm

**Curb Mass** 216 kg

**L x W x H** 2,070 x 850 x 1,160 mm

### BRAKES AND SUSPENSION

**Front Brakes** Dual semi-floating 330 mm Brembo discs. Caliper: Dual radial-mount, Brembo Stylema monobloc, opposed 4-piston

**Rear Brakes** Single 250 mm disc. Caliper: Brembo, opposed 2-piston

**Front Suspension** 43 mm inverted fork with rebound and compression damping, spring preload adjustability and top-out springs

**Rear Suspension** Uni-Trak, Öhlins TTX36 gas-charged shock with piggyback reservoir, compression damping, rebound damping, spring preload adjustability and top-out spring

### PERFORMANCE

**Max Torque** 165 N•m {16.8 kgf•m} @12,500 rpm

**Max Power** 228 kW {310 PS} @ 14,000 rpm

**Maximum power with RAM air** 240 kW {326 PS} @ 14,000 rpm



Not for road use



# Ninja

## ZX-10R



### NINJA ZX-10R



Lime Green / Ebony

### NINJA ZX-10RR



Lime Green

#### ZX-10RR vs ZX-10R

- + Higher Rev Limit
- + Pankl Titanium Connecting Rods
- + Pankl Lightweight Pistons
- + Marchesini Forged Wheels
- + Steel-Braided Lines



Pearl Robotic White / Metallic Diablo Black

**EDITIONS  
AVAILABLE**

PERFORMANCE



# FACE YOURSELF

You can beat all opponents, but there is always a challenge you still have to face, the one within yourself. For those like you who rise to any challenge, we have developed the Ninja ZX-10R & Ninja ZX-10RR. Now you have the definitive race focused Ninja.

## KEY FEATURES

- AERODYNAMIC WINGLET
- SMALL LED HEADLAMPS
- FULL-COLOUR TFT LCD SCREEN
- SMARTPHONE CONNECTIVITY
- SHOWA SUSPENSION
- FRONT BREMBO CALIPERS
- BOSCH IMU



## TECH SPECIFICATIONS

### ENGINE

Engine type	Liquid-cooled, 4-stroke In-Line Four
Valve System	DOHC, 16 valves
Displacement	998 cm <sup>3</sup>

### FRAME AND DIMENSIONS

Frame Type	Twin spar, cast aluminium
Front Tyre	120/70ZR17M/C (58W)
Rear Tyre	190/55ZR17M/C (75W)
Fuel Capacity	17 litres
Seat Height	835 mm
Curb Mass	207 kg
L x W x H	2,085 x 750 x 1,185 mm

### BRAKES AND SUSPENSION

Front Brakes	Dual semi-floating 330 mm Brembo discs Caliper: Dual radial-mount, Brembo M50 monobloc, opposed 4-piston
Rear Brakes	Single 220 mm disc. Caliper: Single-piston
Front Suspension	43 mm inverted fork (BFF) with external compression chamber, compression and rebound damping and spring preload adjustability, and top-out springs
Rear Suspension	Horizontal Back-link with BFRC lite gas-charged shock, piggyback reservoir, compression and rebound damping and spring preload adjustability, and top-out spring

### PERFORMANCE

Max Torque	114.9 N·m {11.7 kgf·m} @ 11,400 rpm
Max Power	149.3 kW {203 PS} @ 13,200 rpm
Maximum power with RAM air	156.8 kW {213 PS} @ 13,200 rpm
CO <sub>2</sub> Emission	140 g/km
Fuel Consumption	47 mpg



## ACCESSORIES



Front Axle Protector



Engine Sliders



Pillion Seat Cover



Knee Pads



*Ninja*  
650



**NEW NINJA 650**



*Lime Green / Ebony*



*Metallic Matte Graphenesteel Grey / Ebony*

**EDITIONS  
AVAILABLE**

**PERFORMANCE  
TOURER**



# RIDE BOLD

Reinvigorated to further embody Ninja sportbike lineage, the Ninja 650 motorcycle comes packed with a sporty 649cc engine, KTRC traction control, Full LED Lights, next-level technology advancements and sharp styling updates. Unmistakable sport performance is met with an upright riding position for exciting daily commutes, while a supreme level of attitude reminds you of its legendary heritage.

## KEY FEATURES

- TFT COLOUR INSTRUMENTATION
- FULL LED LIGHTS (NEW)
- SHARPER NINJA STYLING
- SUITABLE FOR AN A2 LICENCE
- KTRC KAWASAKI TRACTION CONTROL (NEW)



## TECH SPECIFICATIONS

### ENGINE

**Engine type** Liquid-cooled, 4-stroke Parallel Twin

**Valve System** DOHC, 8 valves

**Displacement** 649 cm<sup>3</sup>

### FRAME AND DIMENSIONS

**Frame Type** Trellis, high-tensile steel

**Front Tyre** 120/70ZR17M/C (58W)

**Rear Tyre** 160/60ZR17M/C (69W)

**Fuel Capacity** 15 litres

**Seat Height** 790 mm

**Curb Mass** 193 kg

**L x W x H** 2,055 x 740 x 1,145 mm

### BRAKES AND SUSPENSION

**Front Brakes** Dual semi-floating 300 mm petal discs  
Caliper: Dual piston

**Rear Brakes** Single 220 mm petal disc.  
Caliper: Single-piston

**Front Suspension** 41 mm telescopic fork

**Rear Suspension** Horizontal Back-link with adjustable preload

### PERFORMANCE

**Max Torque** 64.0 N•m {6.5 kgf•m} @ 6,700 rpm

**Max Power** 50.2 kW {68 PS} @ 8,000 rpm

**Fuel Consumption** 65.6 mpg

**CO<sub>2</sub> Emission** 107g/km

**Fuel Consumption  
35kW** 62.7mpg

**CO<sub>2</sub> Emission  
35 kW** 107g/km



## ACCESSORIES



**Akrapovič Titanium Exhaust**



**Pillion Seat Cover**



**Smoke and Large Screen**



**Frame Sliders**



*Ninja*  
400



**NEW NINJA 400**



*Lime Green / Ebony*



*Metallic Carbon Grey / Metallic Matte Carbon Grey*

**EDITIONS  
AVAILABLE**

**PERFORMANCE**



# STREET BORN TRACK INSPIRED

The new Ninja 400 offers stunning, high-quality looks. Its strong engine performance, light predictable handling and relaxed, sporty riding position make it both fun and easy to ride.

## KEY FEATURES

- RIDER-FRIENDLY EURO5 PARALLEL TWIN ENGINE
- LIGHTWEIGHT TRELLIS FRAME
- SHARP NINJA STYLING
- TWIN LED HEADLAMP
- HIGH GRADE COCKPIT
- COMPACT MULTIFUNCTION INSTRUMENTATION
- SUITABLE FOR AN A2 LICENCE



## TECH SPECIFICATIONS

### ENGINE

Engine type	Liquid-cooled, 4-stroke Parallel Twin
Valve System	DOHC, 8 valves
Displacement	399 cm <sup>3</sup>

### FRAME AND DIMENSIONS

Frame Type	Trellis, high-tensile steel
Front Tyre	110/70R17 M/C 54H
Rear Tyre	150/60R17 M/C (66H)
Fuel Capacity	14 litres
Seat Height	785 mm
Curb Mass	168 kg
L x W x H	1,990 x 710 x 1,120 mm

### BRAKES AND SUSPENSION

Front Brakes	Single semi-floating 310 mm petal discs Caliper: Single balanced actuation dual piston
Rear Brakes	Single 220 mm petal disc. Caliper: Dual-piston
Front Suspension	41 mm telescopic fork
Rear Suspension	Bottom-Link Uni-Trak, gas-charged shock with adjustable preload

### PERFORMANCE

Max Torque	37 N•m {3.8 kgf•m} @ 8,000 rpm
Max Power	33.4 kW {45 PS} @ 10,000 rpm
Fuel Consumption	72.4 mpg
CO <sub>2</sub> Emission	91 g/km



## ACCESSORIES



Large Smoke Fly Screen



Akrapovič Sport Exhaust



Pillion Seat Cover



Tank Pad



*Ninja*  
125



## NINJA 125



Lime Green / Ebony



**EDITIONS  
AVAILABLE**

PERFORMANCE



# LEGENDS START HERE

Welcome to Kawasaki and the iconic Ninja Brand. The A1 licence friendly Ninja 125 is not simply the first step on the Ninja road it also displays Kawasaki trademark engineering quality from the Ninja H2 trellis style frame to the sleek Kawasaki racing team inspired bodywork. With its responsive 15ps (11kw) engine tuned for low to mid-range flexibility plus characteristic Ninja top end thrills, the Ninja 125 is a great way to say hello to Kawasaki and start enjoying the thrills of motorcycling.

## KEY FEATURES

- POWERFUL ENGINE
- ALL-DIGITAL INSTRUMENTATION
- INDEPENDENT SPORT ABS
- NINJA SUPERSPORT STYLING
- FULL-SIZE CHASSIS
- SUITABLE FOR AN A1 - A2 LICENCE



## TECH SPECIFICATIONS

### ENGINE

Engine type	Liquid-cooled, 4-stroke Single
Valve System	DOHC, 4 valves
Displacement	125 cm <sup>3</sup>

### FRAME AND DIMENSIONS

Frame Type	Tubular diamond, steel
Front Tyre	100/80-17M/C 52S
Rear Tyre	130/70-17M/C 62S
Fuel Capacity	11 litres
Seat Height	785 mm
Curb Mass	149 kg
L x W x H	1,935 x 685 x 1,075 mm

### BRAKES AND SUSPENSION

Front Brakes	Single 290 mm petal disc. Caliper: Dual piston
Rear Brakes	Single 220 mm disc. Caliper: Dual piston
Front Suspension	37 mm telescopic fork
Rear Suspension	Uni-Trak, gas-charged shock with adjustable preload

### PERFORMANCE

Max Torque	11.7 N•m {1.2 kgf•m} @ 7,700 rpm
Max Power	11 kW {15 PS} @ 10,000 rpm
Fuel Consumption	104.6 mpg
CO <sub>2</sub> Emission	61 g/km



## ACCESSORIES



Arrow Silencer with  
Carbon Heat Shield



Tank Pad



Smoke Windshield



Frame Sliders



# Ninja

## H2 SX



### NEW NINJA H2 SX



**Metallic Diablo Black**

### KEY FEATURES

- BALANCED SUPERCHARGED ENGINE
- ADVANCED RIDER ASSISTANCE SYSTEMS (ARAS)
- AUTO HI BEAM (NEW)
- 6.5 INCH TFT COLOUR METER SCREEN
- KAWASAKI SPIN
- EMERGENCY STOP SIGNAL
- VEHICLE HOLD ASSIST
- KIPASS
- TYRE PRESSURE MONITORING SYSTEM (TPMS)
- KECS (KAWASAKI ELECTRONIC CONTROL SUSPENSION) WITH SKYHOOK (SE ONLY)
- EMERGENCY STOP SIGNAL
- HEATED GRIPS
- WIND PROTECTION
- CLEAN-MOUNT PANNIER SYSTEM
- COMFORTABLE SEATING FOR TWO

### NEW NINJA H2 SX SE



**Emerald Blazed Green / Metallic Diablo Black / Metallic Graphite Grey**

Model shown is Ninja H2 SX SE Tourer Edition



### EDITIONS AVAILABLE

**TOURER**  
**PERFORMANCE**  
**PERFORMANCE TOURER**





## TECH SPECIFICATIONS

### ENGINE

<b>Engine type</b>	Liquid-cooled, 4-stroke In-Line Four
<b>Valve System</b>	DOHC, 16 valves
<b>Displacement</b>	998 cm <sup>3</sup>

### FRAME AND DIMENSIONS

<b>Frame Type</b>	Trellis, high-tensile steel, with Swingarm Mounting Plate
<b>Front Tyre</b>	120/70ZR17M/C (58W)
<b>Rear Tyre</b>	190/55ZR17M/C (75W)
<b>Fuel Capacity</b>	19 litres
<b>Seat Height</b>	835 mm
<b>Curb Mass</b>	266 kg (H2 SX) 267 kg (H2 SX SE)
<b>L x W x H</b>	2,175 x 790 x 1,260 mm


### BRAKES AND SUSPENSION

<b>Front Brakes</b>	Dual semi-floating 320 mm discs Dual radial-mount, monobloc, opposed 4-piston (SX)  Dual semi-floating 320 mm discs Caliper: Dual radial-mount, Brembo Stylema monobloc, opposed 4-piston (SX SE)
<b>Rear Brakes</b>	Single 250 mm disc. Caliper: 2-piston
<b>Front Suspension</b>	43 mm inverted fork with rebound and compression damping and spring preload adjustability, and top-out springs (SX)  43 mm inverted fork with KECS-controlled rebound and compression damping, manual spring preload adjustability, and top-out springs (SX SE)
<b>Rear Suspension</b>	New Uni-Trak, gas-charged shock with piggyback reservoir, compression (high/low-speed) and rebound damping adjustability, remote spring preload adjuster, and top-out spring (SX)  New Uni Trak, BFRC lite gas-charged shock with piggyback reservoir, KECS-controlled compression and rebound damping, and electronically adjustable spring preload (SX SE)

### PERFORMANCE

<b>Max Torque</b>	137.3 N•m {14 kgf•m} @ 8,500 rpm
<b>Max Power</b>	147.1 kW {200 PS} @ 11,000 rpm
<b>Maximum power with RAM air</b>	154.1 kW {210 PS} @ 11,000 rpm
<b>CO<sub>2</sub> Emission</b>	128 g/km
<b>Fuel Consumption</b>	52.3 mpg

The new Kawasaki Ninja H2 SX is Kawasaki's most advanced Sports Tourer ever; the ultimate integration of the highest standards of technology, performance and riding comfort. New dedicated features like Auto Hi Beam and the ARAS system provide real world benefits including adaptive cruise control and blind spot detection. Integrated into the new 6.5" colour TFT instrumentation is Kawasaki's SPIN Infotainment system. Experience the exhilaration of the unique balanced supercharged engine for both long distance touring and daily riding. The best technology is that which becomes a natural extension of ourselves and sets us free.



(Only on SE)

## ARAS TECHNOLOGY FEATURES

FORWARD COLLISION WARNING  
ADAPTIVE CRUISE CONTROL  
BLIND SPOT DETECTION

## CUSTOMER BENEFIT

VISUAL WARNING OF CLOSE PROXIMITY TO VEHICLE IN FRONT  
DISTANCE AND SPEED TO VEHICLES AHEAD IS AUTOMATICALLY ADJUSTED  
VISUAL WARNING OF VEHICLES OCCUPYING BLIND SPOT

## ACCESSORIES



Side Pannier



High Wind Screen



Frame Sliders



Low Seat





## NINJA 1000SX



**Emerald Blazed Green / Metallic Diablo Black  
/ Metallic Graphite Grey**

*Model shown is Ninja 1000SX Tourer Edition*



**Metallic Matte Sovereign Red / Metallic Diablo  
Black / Metallic Matte Carbon Grey**

### EDITIONS AVAILABLE

**TOURER  
PERFORMANCE  
PERFORMANCE TOURER**



# THE BEST OF BOTH WORLDS

The Ninja 1000SX has character without compromise. Infused with the Ninja spirit craved by discerning solo sportsbike riders, the Ninja 1000SX takes the concept further with SX sport touring versatility to share with a fellow traveller. From traction control to cruise control, the Ninja 1000SX has the tech for the ride.

## KEY FEATURES

- TFT COLOUR INSTRUMENTATION
- SMARTPHONE CONNECTIVITY
- ELECTRONIC CRUISE CONTROL
- KQS (KAWASAKI QUICK SHIFTER)
- CLEAN-MOUNT PANNIER SYSTEM
- EXCELLENT WIND PROTECTION
- SPORTIER, MORE DYNAMIC STYLING



## TECH SPECIFICATIONS

### ENGINE

Engine type	Liquid-cooled, 4-stroke In-Line Four
Valve System	DOHC, 16 valves
Displacement	1,043 cm <sup>3</sup>

### FRAME AND DIMENSIONS

Frame Type	Twin-tube, aluminium
Front Tyre	120/70ZR17M/C (58W)
Rear Tyre	190/50ZR17M/C (73W)
Fuel Capacity	19 litres
Seat Height	835 mm
Curb Mass	235 kg
L x W x H	2,100 x 825 x 1,190 (1,225 mm high position screen)

### BRAKES AND SUSPENSION

Front Brakes	Dual semi-floating 300 mm discs. Caliper: Dual radial-mount, monobloc, opposed 4-piston
Rear Brakes	Single 250 mm disc. Caliper: single-piston
Front Suspension	41 mm inverted fork with compression and rebound damping and spring preload adjustability
Rear Suspension	Horizontal Back-link, gas-charged rear shock with rebound damping and spring preload adjustability

### PERFORMANCE

Max Torque	111 N·m {11.3 kgf·m} @ 8,000 rpm
Max Power	104.5 kW {142 PS} @ 10,000 rpm
CO <sub>2</sub> Emission	135 g/km
Fuel Consumption	48.7 mpg



## ACCESSORIES



Akrapovič Carbon or Titanium Silencers



Clean-Mount Pannier System



Low Rider Seat



Large Smoke Windshield





**Z H2**



*Metallic Matte Graphenesteel Grey / Ebony*

**EDITIONS  
AVAILABLE**  
PERFORMANCE



## SUPERCHARGE

Supercharged genius redefines Supernaked. Our world-beating litre engine is boosted beyond belief with Supercharger technology from the unrivalled Ninja H2. Sugomi style exudes Kawasaki DNA.

## KEY FEATURES

- BALANCED SUPERCHARGED ENGINE
- ALL LED LIGHTNING
- FULL- COLOUR TFT LCD SCREEN
- KQS (KAWASAKI QUICK SHIFTER)
- 200 PS
- ELECTRONIC CRUISE CONTROL
- SMARTPHONE CONNECTIVITY
- ADVANCED ELECTRONIC SYSTEMS



## TECH SPECIFICATIONS

### ENGINE

**Engine type** Liquid-cooled, 4-stroke In-Line Four with Supercharger

**Valve System** DOHC, 16 valves

**Displacement** 998 cm<sup>3</sup>

### FRAME AND DIMENSIONS

**Frame Type** Trellis, high-tensile steel

**Front Tyre** 120/70ZR17M/C (58W)

**Rear Tyre** 190/55ZR17M/C (75W)

**Fuel Capacity** 19 litres

**Seat Height** 830 mm

**Curb Mass** 239 kg

**L x W x H** 2,085 x 810 x 1,130 mm

### BRAKES AND SUSPENSION

**Front Brakes** Dual semi - floating 320mm discs  
Caliper: Dual radial - mount, Brembo M4.32 monobloc, opposed 4-piston

**Rear Brakes** Single 260 mm disc. Caliper: Single-piston

**Front Suspension** Showa SFF-BP Fork with Adjustable Compression and Rebound Damping, Spring Preload Adjustability

**Rear Suspension** New Uni-Trak, Showa Gas-Charged Shock with Adjustable Rebound Damping and Preload

### PERFORMANCE

**Max Torque** 137.0 N·m {14.0 kgf·m} @ 8,500 rpm

**Max Power** 147.1 kW {200 PS} @ 11,000 rpm

**CO<sub>2</sub> Emission** 139 g/km

**Fuel Consumption** 47 mpg



## ACCESSORIES



**Akrapovič Titanium Sports Muffler Exhaust With Cat**



**Seat Cover**



**Frame Sliders**



**Axle Sliders**





**H2 SE**



**Z H2 SE**



**Metallic Matte Graphenesteel Grey / Ebony  
/ Mirror Coated Black**



**EDITIONS  
AVAILABLE**

**PERFORMANCE**

## SUPERCHARGE

The next level Supernaked has arrived. Z H2 SE is boosted by unique Kawasaki Supercharger technology featuring dedicated features delivering unmatched performance: Showa electronic suspension with Skyhook technology, Brembo brake calipers from the H2 series, plus new colour and graphics, combine to boost your emotions beyond limits.

## KEY FEATURES

- BALANCED SUPERCHARGED ENGINE 200PS
- ALL LED LIGHTNING
- FULL-COLOUR TFT LCD SCREEN
- KQS (KAWASAKI QUICK SHIFTER)
- ELECTRONIC CRUISE CONTROL
- SMARTPHONE CONNECTIVITY
- KAWASAKI ELECTROINC CONTROL SUSPENSION
- FRONT BREMBO BRAKES
- SPECIAL COLOUR & GRAPHIC DESIGN
- BRAIDED STEEL BRAKE LINES



## TECH SPECIFICATIONS

### ENGINE

**Engine type** Liquid-cooled, 4-stroke In-Line Four with Supercharger

**Valve System** DOHC, 16 valves

**Displacement** 998 cm<sup>3</sup>

### FRAME AND DIMENSIONS

**Frame Type** Trellis, high-tensile steel

**Front Tyre** 120/70ZR17M/C (58W)

**Rear Tyre** 190/55ZR17M/C (75W)

**Fuel Capacity** 19 litres

**Seat Height** 830 mm

**Curb Mass** 240 kg

**L x W x H** 2,085 x 810 x 1,130 mm

### BRAKES AND SUSPENSION

**Front Brakes** Caliper: Dual radial - mount, Brembo Stylema monobloc, opposed 4-piston

**Rear Brakes** Single 260 mm disc. Caliper: Single-piston

**Front Suspension** 43 mm inverted fork (SFF-CA) with KECS-Controlled Compression and Rebound Damping, manual Spring Preload Adjustability, and top-out Springs

**Rear Suspension** New Uni Trak, BFRC lite Gas-Charged Shock with Piggyback reservoir, KECS-Controlled Compression and Rebound Damping, manual Spring Preload Adjustability, and Top-out Spring

### PERFORMANCE

**Max Torque** 137.0 N·m {14.0 kgf·m} @ 8,500 rpm

**Max Power** 147.1 kW {200 PS} @ 11,000 min-1

**CO<sub>2</sub> Emission** 139 g/km

**Fuel Consumption** 47 mpg



## ACCESSORIES



**Akrapovič Titanium Sports Muffler Exhaust With Cat**

**Seat Cover**



**Frame Sliders**



**Axle Sliders**



# Z 900 SE



## Z900 SE



*Metallic Spark Black / Metallic Matte  
Graphenesteeel Grey / Candy Lime Green*



**EDITIONS  
AVAILABLE**

**PERFORMANCE**

# DOMINATE

Created to amaze you.

The Z900 SE is equipped with dedicated features that offer a focused yet sophisticated riding experience: ÖHLINS S46 rear suspension, stainless steel brake lines, Brembo M4.32 calipers with Brembo front brake discs and a special colour scheme. Dominate the road with the latest expression of the Z spirit.

## KEY FEATURES

- FRONT BREMBO BRAKES
- ÖHLINS REAR SUSPENSION
- SPECIAL COLOUR & GRAPHIC DESIGN
- BRAIDED STEEL BRAKE LINES
- ALL-LED LIGHTING
- KTRC (KAWASAKI TRACTION CONTROL)
- TFT COLOUR INSTRUMENTATION
- POWER MODE SELECTION
- SMARTPHONE CONNECTIVITY



## TECH SPECIFICATIONS

### ENGINE

**Engine type** Liquid-cooled, 4-stroke In-Line Four

**Valve System** DOHC, 16 valves

**Displacement** 948 cm<sup>3</sup>

### FRAME AND DIMENSIONS

**Frame Type** Trellis, high-tensile steel

**Front Tyre** 120/70ZR17M/C (58W)

**Rear Tyre** 180/55ZR17M/C (73W)

**Fuel Capacity** 17 litres

**Seat Height** 820 mm

**Curb Mass** 213 kg

**L x W x H** 2,070 x 825 x 1,115 mm

### BRAKES AND SUSPENSION

**Front Brakes** Dual semi-floating 330 mm Brembo discs  
Caliper: Dual radial-mount, Brembo M4.32 monobloc, opposed 4-piston

**Rear Brakes** Single 250 mm disc. Caliper: Single-piston

**Front Suspension** 41 mm inverted fork with compression and rebound damping and spring preload adjustability

**Rear Suspension** Horizontal Back-link, Öhlins S46 gas-charged shock with rebound damping and spring preload adjustability

### PERFORMANCE

**Max Torque** 98.6 N•m {10.1 kgf•m} @ 7,700 rpm

**Max Power** 92.2 kW {125 PS} @ 9,500 rpm

**CO<sub>2</sub> Emission** 132 g/km

**Fuel Consumption** 49.5 mpg



## ACCESSORIES



**Carbon Akrapovič Silencer**



**Tank Pad**



**Frame Sliders**



**Tank Bag**





**Z900**



***Ebony / Metallic Matte Graphenesteel Grey***



***Metallic Phantom Silver / Metallic Carbon Grey***



***Metallic Spark Black / Metallic Graphite Grey  
/ Metallic Flat Spark Black***

**EDITIONS  
AVAILABLE**

**PERFORMANCE**

# DOMINATE

The Z spirit finds its latest expression in the Sugomi styled Z900. Power to the max, instinctive handling and traction control redefine the supernaked experience. LED lights and a TFT display bring the newest tech. Push boundaries and dominate your ride.

## KEY FEATURES

- ALL-LED LIGHTING
- KTRC (KAWASAKI TRACTION CONTROL)
- TFT COLOUR INSTRUMENTATION
- LATEST EVOLUTION OF Z SUGOMI STYLING
- SMARTPHONE CONNECTIVITY
- POWER MODE SELECTION



## TECH SPECIFICATIONS

### ENGINE

Engine type	Liquid-cooled, 4-stroke In-Line Four
Valve System	DOHC, 16 valves
Displacement	948 cm <sup>3</sup>

### FRAME AND DIMENSIONS

Frame Type	Trellis, high-tensile steel
Front Tyre	120/70ZR17M/C (58W)
Rear Tyre	180/55ZR17M/C (73W)
Fuel Capacity	17 litres
Seat Height	820 mm
Curb Mass	212 kg
L x W x H	2,070 x 825 x 1,080 mm

### BRAKES AND SUSPENSION

Front Brakes	Dual semi-floating 300 mm petal discs. Caliper: Dual opposed 4-piston
Rear Brakes	Single 250 mm petal disc. Caliper: Single-piston
Front Suspension	41 mm inverted fork with rebound damping and spring preload adjustability
Rear Suspension	Horizontal Back-link with rebound damping and spring preload adjustability

### PERFORMANCE

Max Torque	98.6 N•m {10.1 kgf•m} @ 7,700 rpm
Max Power	92.2 kW {125 PS} @ 9,500 rpm
CO <sub>2</sub> Emission	132 g/km
Fuel Consumption	49.5 mpg



## ACCESSORIES



Smoke Fly Screen



Carbon Akrapovič Silencer



Tank & Knee Pads



Pillion Seat Cover





**NEW** Z650



*Metallic Matte Graphenestee Grey / Ebony*



*Metallic Phantom Silver / Metallic Carbon Grey*

**EDITIONS  
AVAILABLE**

**PERFORMANCE**

# ENERGIZE

Striking Sugomi styling, easy control and accessible power invoke the Kawasaki Z spirit. Full LED lights, KTRC Traction Control and the colour TFT display deliver the latest tech. The Z650 will energize your senses and inspire your every ride.

## KEY FEATURES

- FULL LED LIGHTS (NEW)
- TFT COLOUR INSTRUMENTATION
- SMARTPHONE CONNECTIVITY
- SHARPER HEADLAMP COWL
- CLEANER EMISSIONS
- SUITABLE FOR AN A2 LICENCE
- KTRC KAWASAKI TRACTION CONTROL (NEW)



## TECH SPECIFICATIONS

### ENGINE

Engine type	Liquid-cooled, 4-stroke Parallel Twin
Valve System	DOHC, 8 valves
Displacement	649 cm <sup>3</sup>

### FRAME AND DIMENSIONS

Frame Type	Trellis, high-tensile steel
Front Tyre	120/70ZR17M/C (58W)
Rear Tyre	160/60ZR17M/C (69W)
Fuel Capacity	15 litres
Seat Height	790 mm
Curb Mass	188 kg
L x W x H	2,055 x 765 x 1,065 mm

### BRAKES AND SUSPENSION

Front Brakes	Dual semi-floating 300 mm petal discs. Caliper: Dual piston
Rear Brakes	Single 220 mm petal disc. Caliper: Single-piston
Front Suspension	41 mm telescopic fork
Rear Suspension	Horizontal Back-link with preload adjustment

### PERFORMANCE

Max Torque	64 N•m {6.5 kgf•m} @ 6,700 rpm
Max Power	50.2 kW {68 PS} @ 8,000 rpm
CO <sub>2</sub> Emission	107 g/km
Fuel Consumption	65.6 mpg
Fuel Consumption 35 kW	62.7 mpg
CO <sub>2</sub> Emission 35kW	107 g/km



## ACCESSORIES



Large Smoke Fly Screen



Akrapovič Sports Exhaust



Pillion Seat Cover



Tank Pad





**NEW** Z400



*Candy Lime Green / Metallic Spark Black*



*Pearl Robotic White / Metallic Matte Graphenesteel Grey*

**EDITIONS  
AVAILABLE**

**PERFORMANCE**

# HYPNOTIZE

*Designed to be a real Supernaked machine. Whether navigating the urban jungle or parked on a street corner, this lightweight, powerful Supernaked is sure to turn heads. Z400.*

## KEY FEATURES

- RIDER-FRIENDLY EURO5 PARALLEL TWIN ENGINE
- LIGHTWEIGHT TRELLIS FRAME
- SUGOMI Z SUPERNAKED STYLING
- LED HEADLAMP
- COMPACT MULTIFUNCTION INSTRUMENTATION
- SUITABLE FOR AN A2 LICENCE



## TECH SPECIFICATIONS

### ENGINE

**Engine type** Liquid-cooled, 4-stroke Parallel Twin

**Valve System** DOHC, 8 valves

**Displacement** 399 cm<sup>3</sup>

### FRAME AND DIMENSIONS

**Frame Type** Trellis, high-tensile steel

**Front Tyre** 110/70ZR17 M/C 54H

**Rear Tyre** 160/60ZR17 M/C 66H

**Fuel Capacity** 14 litres

**Seat Height** 785 mm

**Curb Mass** 167 kg

**L x W x H** 1,990 x 800 x 1,055 mm

### BRAKES AND SUSPENSION

**Front Brakes** Single semi-floating 310 mm petal discs.  
Caliper: Single balanced actuation dual piston

**Rear Brakes** Single 220 mm petal disc.  
Caliper: Dual-piston

**Front Suspension** 41 mm telescopic fork

**Rear Suspension** Bottom-Link Uni Trak, gas-charged shock with adjustable preload

### PERFORMANCE

**Max Torque** 37 N•m {3.8 kgf•m} @ 8,000 rpm

**Max Power** 33.4 kW {45 PS} @ 10,000 rpm

**CO<sub>2</sub> Emission** 91 g/km

**Fuel Consumption** 72.4 mpg



## ACCESSORIES



**Large Smoke Fly Screen**



**Akrapovič Sports Exhaust**



**Pillion Seat Cover**



**Tank Pad**





**Z125**



*Pearl Storm Grey*



*Candy Lime Green / Metallic Spark Black*

**EDITIONS  
AVAILABLE**

**PERFORMANCE**

# Z SPIRIT

The iconic Z family has a new member, say hello to the Z125 from Kawasaki. Displaying Kawasaki's unique Sugomi design philosophy for all to see, the smallest in the Z family is here to be noticed and make a profound Naked bike statement. The exposed trellis type chassis blends with aggressive Z bodywork encouraging spirited riding from the A1 friendly 15PS (11kW) engine that is both new-rider friendly and sporty.

## KEY FEATURES

- POWERFUL ENGINE
- ALL-DIGITAL INSTRUMENTATION
- SPORTY SUSPENSION
- Z SUPERNAKED STYLING
- UNI TRAK REAR SUSPENSION
- SHARP TAIL LIGHT DESIGN
- INDEPENDENT SPORT ABS
- SUITABLE FOR AN A1 - A2 LICENCE



## TECH SPECIFICATIONS

### ENGINE

Engine type	Liquid-cooled, 4-stroke Single
Valve System	DOHC, 4 valves
Displacement	125 cm <sup>3</sup>

### FRAME AND DIMENSIONS

Frame Type	Tubular diamond, steel
Front Tyre	100/80-17M/C 52S
Rear Tyre	130/70-17M/C 62S
Fuel Capacity	11 litres
Seat Height	815 mm
Curb Mass	147 kg
L x W x H	1,935 x 740 x 1,015 mm

### BRAKES AND SUSPENSION

Front Brakes	Single 290 mm petal disc. Caliper: Dual piston
Rear Brakes	Single 220 mm disc. Caliper: Dual piston
Front Suspension	37 mm telescopic fork
Rear Suspension	Uni-Trak, gas-charged shock with adjustable preload

### PERFORMANCE

Max Torque	11.7 N•m {1.2 kgf•m} @ 7,700 rpm
Max Power	11 kW {15 PS} @ 10,000 rpm
CO <sub>2</sub> Emission	61 g/km
Fuel Consumption	104.6 mpg



## ACCESSORIES



Sporty Arrow Silencer



Engine Sliders



Pillion Seat Cover



Z Tankpad



**Z900RS SE**



**Z900RS SE**



*Metallic Diablo Black*



# TRUE SPIRIT

Your lifestyle has no place for fake. If you seek a Modern Classic with the heritage to deliver yesterday's values, yet with technical features and suspension upgrades focused on today's roads, the Z900RS SE is the only answer. An Öhlins rear unit and retuned front suspension plus other detail touches match the visceral spirit of a 1970's legend, the iconic Z1. Looks, show and go, the Z900RS SE has it all.

## KEY FEATURES

- FRONT BREMBO BRAKES
- ÖHLINS REAR SUSPENSION
- SPECIAL COLOUR & GRAPHIC DESIGN
- ROUND LED HEADLAMP
- DUAL-DIAL INSTRUMENTATION WITH MULTI-FUNCTION LCD
- SPOKE-STYLE & TEARDROP
- TIMELESS STYLING
- Z1-INSPIRED TAIL COWL AND LED TAIL LIGHT



## TECH SPECIFICATIONS

### ENGINE

Engine type	Liquid-cooled, 4-stroke In-Line Four
Valve System	DOHC, 16 valves
Displacement	948 cm <sup>3</sup>

### FRAME AND DIMENSIONS

Frame Type	Trellis, high-tensile steel
Front Tyre	120/70ZR17 M/C (58W)
Rear Tyre	180/55ZR17 M/C (73W)
Fuel Capacity	17 litres
Seat Height	845 mm
Curb Mass	215 kg
L x W x H	2,100 x 865 x 1,150 mm

### BRAKES AND SUSPENSION

Front Brakes	Dual semi-floating 300 mm Brembo discs. Caliper: Dual Brembo M4 radial-mount, monobloc, opposed 4-piston
Rear Brakes	Single 250 mm disc. Caliper: Single-piston
Front Suspension	41 mm inverted fork with compression and rebound damping and spring preload adjustability
Rear Suspension	Horizontal Back-link, Öhlins S46 gas-charged shock with rebound damping and spring preload adjustability

### PERFORMANCE

Max Torque	98.5 N•m {10 kgf•m} @ 6,500 rpm
Max Power	82 kW {111 PS} @ 8,500 rpm
CO <sub>2</sub> Emission	124 g/km
Fuel Consumption	54.3 mpg



## ACCESSORIES



Akrapovič Exhaust



Tank Logo



Central Stand



Indicator Cover



**Z900RS**



**Z900RS**



**Candy Tone Blue**



**Metallic Diablo Black / Metallic Imperial Red**

# TRUE SPIRIT

There's no place for fake in the lifestyle you choose. Kawasaki alone has the heritage to deliver yesterday's values to today's riders in a truly authentic Modern Classic bike. The visceral spirit of a 1970s legend Kawasaki's original king of cool Z1 - finds expression in the Z900RS, to satisfy the very essence of the rider you are now.

## KEY FEATURES

- ROUND LED HEADLAMP
- DUAL-DIAL INSTRUMENTATION WITH MULTI-FUNCTION LCD
- SPOKE-STYLE & TEARDROP
- TIMELESS STYLING
- Z1-INSPIRED TAIL COWL AND LED TAIL LIGHT



## TECH SPECIFICATIONS

### ENGINE

Engine type	Liquid-cooled, 4-stroke In-Line Four
Valve System	DOHC, 16 valves
Displacement	948 cm <sup>3</sup>

### FRAME AND DIMENSIONS

Frame Type	Trellis, high-tensile steel
Front Tyre	120/70ZR17 M/C (58W)
Rear Tyre	180/55ZR17 M/C (73W)
Fuel Capacity	17 litres
Seat Height	835 mm
Curb Mass	215 kg
L x W x H	2,100 x 865 x 1,150 mm

### BRAKES AND SUSPENSION

Front Brakes	Dual semi-floating 300 mm discs. Caliper: Dual radial-mount, monobloc, opposed 4-piston
Rear Brakes	Single 250 mm disc. Caliper: Single-piston
Front Suspension	41 mm inverted fork with compression and rebound damping and spring preload adjustability
Rear Suspension	Horizontal Back-link, gas-charged shock with rebound damping and spring preload adjustability

### PERFORMANCE

Max Torque	98.5 N•m {10 kgf•m} @ 6,500 rpm
Max Power	82 kW {111 PS} @ 8,500 rpm
CO <sub>2</sub> Emission	124 g/km
Fuel Consumption	54.3 mpg



## ACCESSORIES



Titanium Akrapovič Silencer



"Kawasaki" Emblem



Grab Bar



Ergo-Fit Low Seat



**Z 650 RS**



**Z650RS**



**Candy Emerald Green**



**Metallic Spark Black**

# RETROVOLUTION

Kawasaki Z650RS combines Retro style with modern Sports technology. Distinctive styling notes like a classic round LED headlight, needle instrumentation, 70's influenced bodywork and colours, plus a twin-cylinder engine, create a stunning neo-retro segment reference point. The Kawasaki Z650RS is destined to impress all riders with its lovingly distilled spirit of RETROVOLUTION.

## KEY FEATURES

- ROUND LED HEADLIGHTS
- MODERN RETRO STYLING
- SPOKE-STYLE CAST WHEELS
- DUAL-DIAL INSTRUMENTATION WITH MULTI-FUNCTION LCD
- EXCITING PARALLEL-TWIN ENGINE
- HORIZONTAL BACKLINK REAR SUSPENSION
- SUITABLE FOR AN A2 LICENCE



## TECH SPECIFICATIONS

### ENGINE

**Engine type** Liquid-cooled, 4-stroke Parallel Twin

**Valve System** DOHC, 8 valves

**Displacement** 649 cm<sup>3</sup>

### FRAME AND DIMENSIONS

**Frame Type** Trellis, high-tensile steel

**Front Tyre** 120/70ZR17M/C (58W)

**Rear Tyre** 160/60ZR17M/C (69W)

**Fuel Capacity** 12 litres

**Seat Height** 820 mm

**Curb Mass** 187 kg

**L x W x H** 2,065 x 800 x 1,115 mm

### BRAKES AND SUSPENSION

**Front Brakes** Dual semi-floating Ø 300 mm discs.  
Caliper: Dual piston

**Rear Brakes** Single 220 mm petal disc.  
Caliper: Single-piston

**Front Suspension** 41 mm telescopic fork

**Rear Suspension** Horizontal Back-link with preload adjustment

### PERFORMANCE

**Max Torque** 64 N•m {6.5 kgf•m} @ 6,700 rpm

**Max Power** 50.2 kW {68 PS} @ 8,000 rpm

**CO<sub>2</sub> Emission** 107 g/km

**Fuel Consumption** 65.6 mpg

**CO<sub>2</sub> Emission** 107 g/km  
**35 kW**

**Fuel Consumption** 62.7 mpg  
**35 kW**



## ACCESSORIES



Radiator Cover



Grab Rail (chrome)



Retro Fuel Tank Emblem



USB Socket



# VERSYS 1000



## VERSYS 1000



**Metallic Matte Graphenesteel Grey  
/ Metallic Spark Black**

## VERSYS 1000 SE



**Emerald Blazed Green / Metallic Diablo Black**

Model shown is Versys 1000 SE Grand Tourer Edition

### **Versys 1000 SE vs Versys 1000 S:**

- + KECS Kawasaki Electronic Control Suspension (Skyhook Technology)
- + Large Windscreen
- + Hand Covers

## VERSYS 1000S



**Metallic Matte Sovereign Red / Metallic Flat Spark Black**  
Model shown is Versys 1000 S Tourer Edition

### **VERSYS 1000 S VS VERSYS 1000:**

- + Led Cornering lights
- + TFT full colour meter with smartphone connectivity
- + Riding modes

## EDITIONS AVAILABLE

**TOURER  
GRAND TOURER**

ANY ROAD. ANY TIME.  
*Adventure  
Calling*

*Bike adventures are life's best adventures. Every day brings opportunity for fresh challenges. Beyond the roads you know lie whole new vistas.*

*Unknown roads are easier and faraway places nearer with the Versys 1000. When Adventure Calls, you and the Versys 1000 have the answer.*

## KEY FEATURES

- LED LIGHTS
- EXCITING IN-LINE FOUR ENGINE
- KECS (KAWASAKI ELECTRONIC CONTROL SUSPENSION) (VERSYS 1000 SE)
- ELECTRONIC CRUISE CONTROL
- CLEAN-MOUNT PANNIER SYSTEM
- SMARTPHONE CONNECTIVITY
- INTEGRATED RIDING MODES
- LARGE-VOLUME FUEL TANK



## TECH SPECIFICATIONS

### ENGINE

**Engine type** Liquid-cooled, 4-stroke In-Line Four

**Valve System** DOHC, 16 valves

**Displacement** 1,043 cm<sup>3</sup>

### FRAME AND DIMENSIONS

**Frame Type** Twin-tube, aluminium

**Front Tyre** 120/70ZR17M/C (58W)

**Rear Tyre** 180/55ZR17M/C (73W)

**Fuel Capacity** 21 litres

**Seat Height** 840 mm

**Curb Mass** 253 kg (Versys 1000) / 255 kg (Versys 1000 S)  
257 kg (Versys 1000 SE)

**L x W x H** 2,270 x 950 x 1,490 mm  
(1,530 mm high position)  
(1,490 mm low position)

### BRAKES AND SUSPENSION

**Front Brakes** Dual semi-floating 310 mm petal discs.  
Caliper: Dual radial-mount, monobloc, opposed 4-piston

**Rear Brakes** Single 250 mm petal disc.  
Caliper: Single-piston

**Front Suspension** ø43 mm inverted fork with rebound damping (right-side) and spring preload adjustability

**Rear Suspension** Horizontal Back-link, gas-charged, with rebound damping and remote spring preload adjustability

### PERFORMANCE

**Max Torque** 102 N•m {10.4 kgf•m} @ 7,500 rpm

**Max Power** 88.2 kW {120 PS} @ 9,000 rpm

**CO<sub>2</sub> Emission** 128 g/km

**Fuel Consumption** 51.3 mpg



## ACCESSORIES



**LED Fog Lamps**



**Ergo-Fit 20 mm Lower**



**Grip Heaters**  
(standard on SE)



**Colour Coded,  
One-Key Pannier System**



# VERSYS 650



## VERSYS 650



**Candy Lime Green / Metallic Flat Spark Black  
/ Metallic Spark Black**



**Metallic Smoke Gold / Metallic Flat Spark Black  
/ Metallic Spark Black**

## EDITIONS AVAILABLE

**TOURER  
GRAND TOURER**

# ANY ROAD. ANY TIME.

Versys 650, created to conquer your city or leave it far behind. Equipped with enhanced touring features transporting you, your passenger and luggage to the next big adventure. Dedicated features like an adjustable windscreen, colour TFT Meter with smartphone connectivity, LED lighting and KTRC traction control ensure you enjoy every ride. Short office trip or weekend away, let the Versys 650 be your ultimate travel guide.

## KEY FEATURES

- LED LIGHTING
- WINDSHIELD (ADJUSTABLE IN 4 POSITIONS)
- TFT COLOUR INSTRUMENTATION
- SMARTPHONE CONNECTIVITY
- KTRC (KAWASAKI TRACTION CONTROL)
- ALUMINIUM SWINGARM
- 649 CM<sup>3</sup> PARALLEL TWIN ENGINE
- LONG-TRAVEL SUSPENSION WITH 17" WHEELS
- LATEST VERSYS FAMILY STYLING
- SUITABLE FOR AN A2 LICENCE



## TECH SPECIFICATIONS

### ENGINE

Engine type	Liquid-cooled, 4-stroke Parallel Twin
Valve System	DOHC, 8 valves
Displacement	649 cm <sup>3</sup>

### FRAME AND DIMENSIONS

Frame Type	Tubular diamond, high-tensile steel
Front Tyre	120/70ZR17M/C (58W)
Rear Tyre	160/60ZR17M/C (69W)
Fuel Capacity	21 litres
Seat Height	845 mm
Curb Mass	219 kg
L x W x H	2,165 x 840 x 1,360 / 1,420 mm (high position screen)

### BRAKES AND SUSPENSION

Front Brakes	Dual semi-floating 300 mm petal discs. Caliper: Dual piston
Rear Brakes	Single 250 mm petal disc. Caliper: Single-piston
Front Suspension	41 mm inverted telescopic fork with stepless adjustable rebound damping (right side) and adjustable preload (left-side)
Rear Suspension	Offset laydown single-shock with remote spring preload adjustability

### PERFORMANCE

Max Torque	61.0 N•m {6.2 kgf•m} @ 7,000 rpm
Max Power	49.0 kW {67 PS} @ 8,500 rpm
Fuel Consumption	62.7 mpg
CO <sub>2</sub> Emission	107 g/km



## ACCESSORIES



Led Fog Lamps



Clean Mount Pannier Set  
2x28L



Inner Bags For Panniers



47L Top Case



# Vulcan S



## VULCAN S



*Metallic Matte Carbon Grey / Ebony*



*Metallic Flat Spark Black*

### EDITIONS AVAILABLE

PERFORMANCE  
TOURER

# YOUR WAY

*Vulcan S, not your average cruiser. Standing apart, with its Parallel Twin engine, unique frame and suspension layout and designed for independent minded riders, Vulcan S does not require the rider to conform to some "herd-mentality", outdated fashion or lifestyle.*

## KEY FEATURES

- EASY-TO-CONTROL 649 CM<sup>3</sup> LIQUID-COOLED, 4-STROKE PARALLEL TWIN
- EASY-TO-READ INSTRUMENTATION
- RELAXED, FOOT-FORWARD RIDING POSITION
- SUITABLE FOR AN A2 LICENCE



## TECH SPECIFICATIONS

### ENGINE

Engine type	Liquid-cooled, 4-stroke Parallel Twin
Valve System	DOHC, 8 valves
Displacement	649 cm <sup>3</sup>

### FRAME AND DIMENSIONS

Frame Type	Tubular diamond, high-tensile steel
Front Tyre	120/70 R18M/C 59H
Rear Tyre	160/60ZR17M/C 69H
Fuel Capacity	14 litres
Seat Height	705 mm
Curb Mass	229 kg
L x W x H	2,310 x 880 x 1,100 mm

### BRAKES AND SUSPENSION

Front Brakes	Single 300 mm disc. Caliper: Dual-piston
Rear Brakes	Single 250 mm disc. Caliper: Single-piston
Front Suspension	41 mm telescopic fork
Rear Suspension	Offset laydown single-shock, linkage equipped, with 7-way adjustable preload

### PERFORMANCE

Max Torque	62.4 N•m {6.4 kgf•m} @ 6,600 rpm
Max Power	44.7 kW {61 PS} @ 7,500 rpm
CO <sub>2</sub> Emission	102 g/km
Fuel Consumption	64.2 mpg



## ACCESSORIES



Leather Saddlebags



Large or Medium Windshield



Clutch Cover Plate



Luggage Rack and Backrest



## GENUINE PRODUCTS

*Whenever you see the Kawasaki Genuine Parts logo, you are assured that the looks, performance and value of your precious motorcycle is maintained. Genuine parts or Genuine accessories, the simple facts are the same. Quality, craftsmanship and care they all combine to deliver the peace of mind that only we can deliver to enhance the unique Kawasaki experience.*



## RIDER GEAR

*Engineered for maximum comfort and style, choose Kawasaki riding gear if you take your riding as seriously as we do. Precision crafted for the best fit, quality and protection, you can rely on Kawasaki riding gear as much as your bike itself.*

**CLASSIC**



### ***Bristol Leather Gloves***



### Urban-V Helmet



### London Brown Leather Jacket



**London Olive  
Leather Jacket**

## TOURING



**Bamberg Trousers**



**Trier Jacket**



**Hearing Protection**



**Koblenz Gloves**



**Neuss Boots**

## URBAN



**Ladies Cannes Gloves**



**Ladies Paris Jacket**



**Amiens Jacket**



**Colmar Gloves**



**Ladies Metz Jeans**



**Ladies Toulon Boots**



**Nice Jeans**



**Concept-X  
Helmet**



**Nantes Boots**





## SPORT



*Rome Jacket*



*Pisa Trousers*



*Lucca Gloves*



*Tivoli Boots*

## CLOTHING

Created with the same rigorous attention to detail as any Kawasaki motorcycle, our official clothing, accessory and merchandise products carry the Kawasaki name proudly. And like our motorcycles the variety, class leading looks and performance set us apart at the head of the field.



**Sports Softshell**



**Sports T-shirt**



**Ladies Sports Polo**

## MERCHANDISE

Personal purchase, birthday treat or even baby's first gift, there is something for every taste, age, shape and size in our latest clothing, accessory and merchandise ranges. Let Kawasaki take the hard work out of shopping. Relax and be reassured that you've made the durable, quality choice.



**Sports Cap**



**Rivermark Key Ring**



**Riding Gear Bag**



**Green Zone Parking Sign**



**Rivermark Clock**



**Digital Watch**



**Bluetooth Speaker**